INDEX TO BRITTONIA VOLUME 54 (2002)

Compiled by Thomas A. Zanoni

All new plant taxa, new combinations, or lectotypifications are indicated by **boldface** type. Personal names are listed only when new taxa are based on them (eponyms) or when the article contains substantial information about the person. Countries are cited only for types of new taxa, or for range extensions, or when mentioned in the title of an article, or when the article contains substantial information about a country. Plant names of associated species from the vegetation are not included here.

Acanthaceae, 286
Acanthophoenix, 79, 80, 82, 83, 84, 86–88, 90; *rubra,* 81, 84, 86, 89
Actinokentia, 65, 66, 69; *divaricata,* 67, 69
Actinorhytis, 82, 84; *calapparia,* 81, 86, 89
Adhotoda, 286
Adiantum, hybrid, 57–60; *latifolium,* 57–60; *petiolatum,* 57–60, ×*variopinnatum,* 57–60
Afrotripleis, 120
Agathisanthemum, 43; *bojeri,* 44, 49
Agrostis idahoensis, 156; *masafuerana,* 156–158; *serranoi,* 156; *stolonifera,* 157, 161
Aiouea, 145
Aira caryophyllea, 157, 161; *praecox,* 157, 161
Alchornea cerifera, 324
Allagopappus, 161
Alsmithia, 70
Amorim, André, 126
Amphiasma benguellense, 44
Amphiscopia, 286
Annona, 136, 140; *paludosa,* 136, 138, 139; **prevostiae, 136**–140; *sericea,* 138, 139
Annonaceae, 136
Announcements: Lawrence Memorial Fund, 62a
Anotis, 40; sect. *Ereicoctis,* 40; sect. *Serpicula,* 45
Anthoxanthum odoratum, 157, 159, 161
Apocynaceae, 309
Archontophoenix, 65, 66, 70, 71; *cunninghamiana,* 67, 68
Arcytophyllum, 40–49; *aristatum,* 46, 47, 49; *blaerioides,* 43; *cachirense,* 46; *capitatum,* 46; *ciliolatum,* 43, 46, 47, 49; *ericoides,* 43, 46, 47, 49; *filiforme,* 46; *lavarum,* 47, 49; *macbridei,* 46, 47, 49; *muticum,* 43, 44, 46, 47, 49; *nitidum,* 43, 44, 47, 49; *rivetii,* 43, 44, 46, 47, 49; *serpyllaceum,* 41–46, 49; *setosum,* 43, 46, 47, 49; *thymifolium* 43, 44, 46, 47, 49; *venezuelanum,* 46; *vernicosum,* 43, 46, 47, 49
Areca, 70, 82, 84; *catechu,* 81, 84, 86
Arecaceae, 65, 196; fruit anatomy, 65–71, 196–201; subfamily Arecoideae, 78, 90; subfamily Calamoideae, 79; tribe Areceae, 78, 84, 90; tribe Cocoeae, 82, 79; subtribe Archontophoenicinae, 65, 66, 70, 81, 88, 89, 200, 201; subtribe Arecinae, 70, 81, 88, 89, 201; subtribe Bactridinae, 82, 89; subtribe Beccariophoenicinae, 81, 89; subtribe Butiinae, 81; subtribe Dypsidinae, 81, 89; subtribe Iguanurinae, 70, 80, 81, 87–89, 200, 201; subtribe Lemurophoenicinae, 81, 89; subtribe Linospadiciniae, 196, 199, 200; subtribe Malortieinae, 81, 89; subtribe Masoalinae, 81, 89, 90; subtribe Oncospermatinae, 70, 78–91, 201; subtribe Oraniinae, 81, 89; subtribe Ptychospermatinae, 70, 81, 88, 89, 201, 201
Argentina, 50, 51
Argostemma, 41; *rupestre,* 44, 49
Argyroxiphium, 161
Aristolochia, 30; *arborescens,* 36; *caudata,* 36; *cordifolia,* 36; *foetens,* 36; *gigantea,* 36; *gigas,* 36, 37; *gigas* var. *sturtevantii,* 37; **gorgona, 31**–39; *grandiflora,* 30, 31, 33–38; *grandiflora* subsp. *hookeri,* 36; *odoratissima* 37; *pichinchensis,* 37; *scandens,* 36, 37; *trilobata,* 37
Aristolochiaceae, 3
Aspidium quadrangulare, 333
Asteraceae, 50, 161, 162, 164; Astereae, 50; Coreopsideae, 116
Avena barbata, 157, 159, 161
Averrhoidium, key, 114; **dalyi, 112,** 113, **114;** *gardenrianum,* 114; *paraguaiense,* 114; *spondioides,* 112, 114
Babcock, A., 161
Bactris, 82, 84, 90; *gasipaes,* 81–83, 86, 89
Barringtonia, 90
Beccariophoenix, 82, 84, 86, 88; *madagascariensis,* 81, 89
Beischmiedia, 145
Beloperone, 285
Bentinckia, 80, 86; *nicobarica,* 81, 83, 84, 86, 89
Bilbergia **acreana, 279**–281; *tessmannii,* 279
Bletia purpurea, 99–101, 103–105, 107, 108; **riparia,** 99, 103, **107,** 109, 110
Boelcke, Osvaldo, 51
Boletaceae, 261
Bonin & Volcano Islands, 160, 161
books received, 141, 142; reviews: Brodo, I. M., S. Duran Sharnoff & S. Sharnoff, **Lichens of North America,** 213–214; Frodin, D. G (ed.), **Guide to standard floras of the world,** 12; Halliday, P. **The illustrated Rhododendron: Their classification portrayed through the artwork of Curtis's Botanical Magazine,** 143; Moore, D., S. E. Nauta, & M. Rothroe, **Fungal conservation: Issues and Solutions,** 143–144; Muñoz, J. & F. Pando, **A world synopsis of the genus *Grimmia* (Musci, Grimmiaceae),** 61–62; Wiens, J. (ed.), **Phylogenetic analysis of morphological data,** 214–215; Wu Pengcheng, M. C. Crosby, & S. He, **Moss flora of Chi-**

Brittonia, 54(4), 2002, pp. 364–369. ISSUED: 16 April 2003

© 2002, by The New York Botanical Garden Press, Bronx, NY 10458-5126 U.S.A.

INDEX TO BRITTONIA VOLUME 54 (2002)

Compiled by Thomas A. Zanoni

All new plant taxa, new combinations, or lectotypifications are indicated by **boldface** type. Personal names are listed only when new taxa are based on them (eponyms) or when the article contains substantial information about the person. Countries are cited only for types of new taxa, or for range extensions, or when mentioned in the title of an article, or when the article contains substantial information about a country. Plant names of associated species from the vegetation are not included here.

Acanthaceae, 286
Acanthophoenix, 79, 80, 82, 83, 84, 86–88, 90; *rubra,* 81, 84, 86, 89
Actinokentia, 65, 66, 69; *divaricata,* 67, 69
Actinorhytis, 82, 84; *calapparia,* 81, 86, 89
Adhotoda, 286
Adiantum, hybrid, 57–60; *latifolium,* 57–60; *petiolatum,* 57–60, ×*variopinnatum,* 57–60
Afrotripleis, 120
Agathisanthemum, 43; *bojeri,* 44, 49
Agrostis idahoensis, 156; *masafuerana,* 156–158; *serranoi,* 156; *stolonifera,* 157, 161
Aiouea, 145
Aira caryophyllea, 157, 161; *praecox,* 157, 161
Alchornea cerifera, 324
Allagopappus, 161
Alsmithia, 70
Amorim, André, 126
Amphiasma benguellense, 44
Amphiscopia, 286
Annona, 136, 140; *paludosa,* 136, 138, 139; **prevostiae, 136**–140; *sericea,* 138, 139
Annonaceae, 136
Announcements: Lawrence Memorial Fund, 62a
Anotis, 40; sect. *Ereicoctis,* 40; sect. *Serpicula,* 45
Anthoxanthum odoratum, 157, 159, 161
Apocynaceae, 309
Archontophoenix, 65, 66, 70, 71; *cunninghamiana,* 67, 68
Arcytophyllum, 40–49; *aristatum,* 46, 47, 49; *blaerioides,* 43; *cachirense,* 46; *capitatum,* 46; *ciliolatum,* 43, 46, 47, 49; *ericoides,* 43, 46, 47, 49; *filiforme,* 46; *lavarum,* 47, 49; *macbridei,* 46, 47, 49; *muticum,* 43, 44, 46, 47, 49; *nitidum,* 43, 44, 47, 49; *rivetii,* 43, 44, 46, 47, 49; *serpyllaceum,* 41–46, 49; *setosum,* 43, 46, 47, 49; *thymifolium* 43, 44, 46, 47, 49; *venezuelanum,* 46; *vernicosum,* 43, 46, 47, 49
Areca, 70, 82, 84; *catechu,* 81, 84, 86
Arecaceae, 65, 196; fruit anatomy, 65–71, 196–201; subfamily Arecoideae, 78, 90; subfamily Calamoideae, 79; tribe Areceae, 78, 84, 90; tribe Cocoeae, 82, 79; subtribe Archontophoenicinae, 65, 66, 70, 81, 88, 89, 200, 201; subtribe Arecinae, 70, 81, 88, 89, 201; subtribe Bactridinae, 82, 89; subtribe Beccariophoenicinae, 81, 89; subtribe Butiinae, 81; subtribe Dypsidinae, 81, 89; subtribe Iguanurinae, 70, 80, 81, 87–89, 200, 201; subtribe Lemurophoenicinae, 81, 89; subtribe Linospadiciniae, 196, 199, 200; subtribe Malortieinae, 81, 89; subtribe Masoalinae, 81, 89, 90; subtribe Oncospermatinae, 70, 78–91, 201; subtribe Oraniinae, 81, 89; subtribe Ptychospermatinae, 70, 81, 88, 89, 201, 201
Argentina, 50, 51
Argostemma, 41; *rupestre,* 44, 49
Argyroxiphium, 161
Aristolochia, 30; *arborescens,* 36; *caudata,* 36; *cordifolia,* 36; *foetens,* 36; *gigantea,* 36; *gigas,* 36, 37; *gigas* var. *sturtevantii,* 37; **gorgona, 31**–39; *grandiflora,* 30, 31, 33–38; *grandiflora* subsp. *hookeri,* 36; *odoratissima* 37; *pichinchensis,* 37; *scandens,* 36, 37; *trilobata,* 37
Aristolochiaceae, 3
Aspidium quadrangulare, 333
Asteraceae, 50, 161, 162, 164; Astereae, 50; Coreopsideae, 116
Avena barbata, 157, 159, 161
Averrhoidium, key, 114; **dalyi, 112,** 113, **114;** *gardenrianum,* 114; *paraguaiense,* 114; *spondioides,* 112, 114
Babcock, A., 161
Bactris, 82, 84, 90; *gasipaes,* 81–83, 86, 89
Barringtonia, 90
Beccariophoenix, 82, 84, 86, 88; *madagascariensis,* 81, 89
Beischmiedia, 145
Beloperone, 285
Bentinckia, 80, 86; *nicobarica,* 81, 83, 84, 86, 89
Bilbergia **acreana, 279**–281; *tessmannii,* 279
Bletia purpurea, 99–101, 103–105, 107, 108; **riparia,** 99, 103, **107,** 109, 110
Boelcke, Osvaldo, 51
Boletaceae, 261
Bonin & Volcano Islands, 160, 161
books received, 141, 142; reviews: Brodo, I. M., S. Duran Sharnoff & S. Sharnoff, **Lichens of North America,** 213–214; Frodin, D. G (ed.), **Guide to standard floras of the world,** 12; Halliday, P. **The illustrated Rhododendron: Their classification portrayed through the artwork of Curtis's Botanical Magazine,** 143; Moore, D., S. E. Nauta, & M. Rothroe, **Fungal conservation: Issues and Solutions,** 143–144; Muñoz, J. & F. Pando, **A world synopsis of the genus *Grimmia* (Musci, Grimmiaceae),** 61–62; Wiens, J. (ed.), **Phylogenetic analysis of morphological data,** 214–215; Wu Pengcheng, M. C. Crosby, & S. He, **Moss flora of Chi-**

Brittonia, 54(4), 2002, pp. 364–369. ISSUED: 16 April 2003

© 2002, by The New York Botanical Garden Press, Bronx, NY 10458-5126 U.S.A.

na: English version. Volume 6. Hookeriaceae-Thuidiaceae, 362.
Bowenia, 1, 4, 5; *serrulata,* 2
Bowenioideae, 1
Bouvardia, 43–45; *ternifolia,* 44, 49
Brachypodium distachyon, 157
Brazil, 54, 94, 97, 113, 120, 125, 126, 128, 133, 175, 223, 225, 229, 236, 238, 240, 241, 243, 246, 249, 266, 268, 279, 327, 331, 332, 334, 336, 337, 340
Briza maxima, 157, 161; *minor,* 157, 161; *subaristata,* 157
Bromeliaceae, 279
Bromus, 158, 159; sect. *Ceratochloa,* 158; *catharticus,* 157, 161; *cebadilla,* 157; *diandrus,* 157, 161; *fernandezianus,* 158; *hordeaceus,* 157, 161; *lithobius,* 157; *masafueranus,* 158
Bunchosia ursana, 221
Burretiokentia, 70
Burseraceae, 266, 268
Calliaspidia, 286
Calyptrocalyx, 196, 197, 200, 201; *albertianus,* 199, 200; *hollrungii,* 199; *lauterbachianus,* 199, 200; *lepidotus,* 198–200
Cameroon, 14
Campecarpus, 70
Canary Islands, 160–162
Cardiospermum sect. *Carphospermum,* 112
Castilleja, 6, 9, 190; key, 10; hybrids, 9; Epichroma group, 9; Ortegae group, 9; Tenuifolia group, 9; subgenus *Castilleja,* 9; sect. *Castilleja,* 9; sect. *Epichroma,* 9; sect. *Euchroma,* 190; sect. *Ortegae,* 9; *angustata,* 193, 195; *chlorosceptron,* 10, 11; *durangensis,* 10, 11; **hidalgensis, 190**–195; *hirsuta,* 9; **holmgrenii, 6**–12; *integrifolia,* 9; *linifolia,* 10, 11; *macrostigma,* 190, 193–195; *moranensis,* 190; *nervata,* 10, 11; *ornata,* 10, 11, 193, 195; *ortegae,* 9, 10; *palmeri,* 11; *perelegans, 10, 11; roeii,* 10, 11; *saltensis,* 10, 11; *schaffneri,* 190; *scorzonerifolia,* 10, 11; *sphaerostigma,* 10, 11, 193, 195; *spiranthoides,* 9–11; *tenuiflora,* 9–11; *tenuiflora* × *holmgrenii,* 9; *tenuiflora* × *ortegae,* 9
Cassytha, 145
Centaurodendron, 161
Ceratozamia, 1, 4, 5
Cerophora, 323
Cerothamnus, 323
Chaetotropis chilensis, 157; *imberbis,* 157
Chambeyronia, 65, 66, 69, 70; *lepidota,* 67; *macrocarpa,* 67, 68
Chile, 154–163; Robinson Crusoe (Juan Fernández) Islands, 154–163
China, 168
Chromosomes, Cycadales, 1–5
Chrysothemis, 348
Chusquea fernandeziana, 156–158; *ligulata,* 156
Cinnamomum, 145, 150
Cissus, 175; *bahiensis,* 177; *blanchetiana,* 175–177; *coccinea,* 177; *decidua,* 177; *paullinifolia,* 175–177; **pinnatifolia, 175**–177; *pulcherrima,* 175–177; *serroniana,* 175–177
Coleochloa, 120
Colombia, 251, 254, 257, 281
Columnea, 345
Compositae (see, also, Asteraceae), 161, 182; Helianthеae, 181, 182
Compsoneura, 251; sect. *Compsoneura,* 251, 252; sect. *Coniostele,* 251; **anoriensis,** 253, **254**–257; *atopa,* 251–255, 257; *atopa* complex, 251–261; **claroensis,** 253, 255, **257**–260; *rigidifolia,* 253, 255, 257, 259–261
Comptonia, 321
Conostomium natalense, 44, 49
Coprosma, 41; robusta, 44, 49
Corson, John, 308, 309
Costa Rica, 31, 222, 262, 281
Corytoplectus, 345
Cremersia, 344, **347**–350; **platula,** 347, **348**
Curtisina, 266
Cycadaceae, 298, 305
Cycadales, 1
Cycas, 298–304; key to species in Thailand, 298–299; pollinators, 303; sect. *Cycas* subsect. *Rumphiae,* 305, 309; **celebica,** 305, **308 (lectotypification)**; *chamaoensis,* 299, 301; *circinalis, 305; clivicola,* 298, 301; *corsoniana,* 308, 309; **elephantipes,** 298, **301**–303; *litoralis,* 299, 301, 304; *macrocarpa,* 298, 301, 303, 304, *nongnoochiae,* 298, 301; *pachypoda,* 301, 303; *pectinata,* 299, 301; **petraea, 299**–301; *pranburiensus,* 299, 301; *recurvata,* 308; *revoluta,* 298; **rumphii,** 305–**308,** 309, **(lectotypification)**; *rumphii* var. *subinclusa,* 308; *scratchleyana,* 305, 308; *siamensis,* 298, 301; *simplicipinna,* 298, 301; *speciosa,* 308; tansachana, 298, 301,
Cynosurus echinatus, 157, 161
Cyperaceae, 120, 124, 340; Trilepideae, 120
Cyphophoenix, 70
Cyphosperma, 70
Dacryodes, 266–274; sect. *Archidacryodes,* 267; sect. *Curtisina,* 266; sect. *Dacryodes,* 267; sect. *Pachylobus,* 267, 269; sect. *Tenuipyrena,* 266; *bampsiana,* 267, 269; *belmensis,* 268, 272, 273; *buettneri,* 269; *edulis,* 267, 269; *excelsa,* 266; *expansa,* 269; *hexandra,* 262; *igaganga,* 269; *incurvata,* 269; *kingii,* 267, 269; *klaineana,* 269; *kukachkana,* 268, 272, 273; *laxa,* 269; *leonardiana,* 267, 269; *lestestui,* 269; *macrophylla,* 269; **negrensis, 268,** 270–273; *normandii,* 269; *rostrata,* 269; *rugosa,* 269; *trinitensis,* 268, 272, 273;
Dactylis glomerata, 157, 161
Dahlia coccinea, 118; *excelsa,* 118; *foeniculifolia,* 116; *imperialis,* 118; **spectabilis, 116**–119; *tenuicaulis,* 118
Dalea, 72
Daltoniaceae, 178
Daly, Douglas C., 114
Danais, 41, 43, 49
Danthonia chilensis var. *chilensis,* 157; *malacantha,* 157
Darwiniothamnus, 161
Deckenia, 79, 80, 82–84, 87, 88, 90; *nobilis,* 80, 81, 83, 84, 86, 89
Dendrocacalia, 161
Dendroseris, 161
Dentella aff. *repens,* 44, 49
Dialyanthera, 251
Díaz, C., 285
Dibrachionostylus kaessneri, 44, 49

Dicella aciculifera, 221
Dictyosperma, 80, 84, 86, 90; *album,* 81, 84, 86, 89
Digitaria sanguinalis, 157
Dilleniaceae, 275
Diodia, 42; *sarmentosa,* 44, 49
Distichophyllum, 180
DNA, 1, 40
Dryopteris "ignapensis," 332: *iguapensis,* 332; *lugubris,* 334; *lugubris* var. *quadrangularis,* 334; *monosora,* 334; *schwackeana,* 338; *vivipara* var. *platylepis,* 332
Duarte, A. P., 240
Dubautia, 161
Dypsis, 82, 88, 89; *leptocheilos,* 81, 84, 86, 89; *lutescens,* 81, 83, 86, 89
Dyspemptemorion, 286
Echinochloa colona, 157, 161
Echites, 310; key to species, sect. *Yucatenense,* 312, 313; sect. *Yucatenense,* 310–317; *circinnalis,* 314; *elegantula,* 314, 315; *parviflora,* 315, 316; *turrigera,* 310–314; *woodsoniana,* 315, 316; *yucatenensis,* 310–315;
Ecuador, 178
Eleusine tristachya, 157
Episcia, 352
Erisma, 14
Erismadelphus, 13, 14; *exsul,* 13; *sessilis,* 13
Ernodea, 42; *litoralis,* 44, 49
Euchorium, 112
Exothea, 112
Fabaceae, see Leguminosae
ferns, 331
Festuca, 158
Ficus, 236; subgen. *Urostigma* sect. *Americanae,* 236; **acreana, 236**–238, 243; *amazonica,* 240, 241; **bahiensis, 238**–240, 249; *carautana,* 236, 243; *cestrifolia,* 246, 248, 249; *citrifolia,* 249; *crocata,* 246; **duartei, 240,** 241; **duckeana, 241**–243; *guianensis,* 238, 239; **hatschbachii, 243,** 244; *hebetifolia,* 243; *hirsuta,* 244, 246; **lagoensis, 244**–246; **laureola, 246**–249; *mariae,* 236; *maroma,* 249; *matiziana,* 243; *organensis,* 248; *panurensis,* 236, 238; *pertusa,* 243; *roraimensis,* 241, 243; **rupicola,** 248, **249;** *trigona,* 238, 243
French Guiana, 19, 25, 136, 233, 288, 294, 348
Galapagos Islands, 161, 162
Gale, 323; *belgica,* 323
Gasteranthus, 345
Gastridium phleoides, 157, 161
Geonoma, 202, 203; leaf size and shape, 202–212; *bartletii,* 203; *cuneata,* 203; *deversa,* 203; *piscicauda,* 203; *pycnostachys,* 203; *stricta,* 202–212; *stricta* var. *piscicauda,* 203, 206–211; *stricta* var. *stricta,* 203, 206–211; *stricta* var. *trailii,* 203, 206–211
Gesneriaceae, 344–351; 352–361; subfamily Gesnerioideae, 347, tribe Beslerieae, 345, 347; tribe Episceae, 345, 347, 348, 350, 352; tribe Gesnerieae, 345, 347; tribe Gloxinieae, 345, 347, 350; tribe Napeantheae, 345, 347, 352, 358; tribe Sinningieae, 345, 347, 350;
Goniopteris cutiataensis, 331; *iguapensis,* 332; *monosora,* 334; *schwackeana,* 338
Gonospermum, 161
Gramineae, 154
Grindelia, 51
Guianas, 19, 286, 344, 352
Guyana, 19, 20, 131, 275, 345, 352, 354, 356, 360
Guzmania **diazii, 281,** 283; *patula,* 281
Haplolobus, 268
Haplopappus, 50; sect. *Diplostephioides,* 50; sect. *Haplopappus* [= *Euhaplopappus*], 51; *ameghinoi,* 51; **boelckei, 50,** 51; *chryseus,* 51; *chrysocephalus,* 51; *illini,* 51; *macrocephalus,* 51; **mendocinus, 51**–53; *mustersii,* 51; *ochagavianus,* 51; *prunelloides,* 51; *tiltilensis,* 51
Hawaii, 160, 161
Hedyotideae, 41, 43
Hedyotis, 40, 41, 43–45; *auricularia,* 45; *degeneri,* 44, 49; *fruticosa,* 45; *hillebrandii,* 49; *macrostegia,* 43, 44, 49; *mitrasacmoids,* 44, 49; *nigricans,* 44, 47, 49; parvula, 44, 49; *schlechtendaliana,* 44, 49; *serpens,* 43–46, 49;
Hedyscepe, 65, 66, 70; *canterburyana,* 67, 68
Hepaticae, 317
Hesperomania, 161
Heteropterys, 217–231; subsect. *Aptychia* 217, 220, 226; **andina, 218**–221; *anomala,* 225, 231; *aureosericea,* 220, 223; *berteroana,* 218, 220; **bullata, 223**–226; **capixaba, 225**–229; *cordifolia,* 225, 226, 228; *crinigera,* 226, 228; **minutiflora,** 220, **221**–223; **oberdanii,** 226, **229**–231; *obovata,* 220, 223; *occidentalis,* 218, 220; *patens,* 231; *petensis,* 223; *thrysoidea,* 227, 229, 300
Heterospathe, 70, 200
Hippobromus, 112
Holmgren, Noel H., 8
Hordeum chilense, 157; *murinum,* 157, 159, 161; *secalinum,* 157
Houstonia, 40, 41, 43–46; *caerulea,* 43, 44, 49; *longifolia,* 43, 47, 49
Howea, 196, 197, 200; *forsteriana,* 197–200
Humiriaceae, 233
Hybanthus, 92; *albus,* 92, 93; *leptopus,* 93; **nanus, 93**
Hypelate, 112
Hypolytrum, 124; sect. *Bullata,* 126, 131; sect. *Hypolytrum,* 128, 133, 135; **amorimii, 124, 125**–126; **bahiense, 126**–129; *bahianum* [= *bahiense*], 129; *bullatum,* 126, 128; **jardimii,** 126, **128**–131; **leptocalamum, 131**–133; **paraense,** 129, **133**–135; *pulchrum,* 131, 133; *sphaerostachyum,* 128, 129; *supervacuum,* 129, 133, 135
Ionidium, album, 92, 93; *nanum,* 92, 93
Iryanthera, 252
Jardim, Jomar, 131
Japan, 168, 262
Juan Fernández Islands, see Robinson Crusoe Islands
Justicia, 286, 294; key to species in the Guianas, 286, 288; *betonica,* 287; *calycina,* 287; *carthaginensis,* 288; *cayennensis,* 288; *chinoi,* 287; *comata,* 287; *coppenamensis,* 288; *guianensis,* 288; *leavilinguis,* 288; *maguirei,* 288; **mcdowellii,** 288, **292**–294; **oldemanii, 288**–292; *pectoralis,* 287; *polystachya,* 288, 292; *potarensis,* 287, 297; **prevostiae,** 287, **294**–296; *secunda,* 287; *sphaerosperma,* 288; *sprucei,* 288; **wilhelminensis,** 288, 295, **296,** 297
Kentiopsis, 65, 66, 69, 70, 82, 90; *magnifica,* 69, 70; *oliviformis,* 69, 70, 81, 86, 89; *piersoniorum,* 69, 70; *pyriformis,* 69

Koeleria micranthera, 157
Korea, 168
Korupodendron, 13, **14**–17; **songweanum, 14**–17
Laccospadix, 196, 200, 201; *australasica*, 197, 198; *microstachya*, 197, 198; *monostachya*, 197, 198
Lampadaria, 344; rupestris, 344, **345**–347
Lastrea monosora, 334
Lauraceae, 145
Lecocarpus, 161
Leguminosae, 72; Caesalpinioideae, 327
Lejeuneaceae, 318
Lembocarpus, 344, 348, 350
Lemurophoenix, 82, 86, 88; *halleuxii*, 81, 86, 89
Lepidorrhachis, 70
Leptostachya, 285
Leskeodendron, 178, 180; **caducifolius 178**–180; *cubensis*, 180; *paisa*, 180
Licaria, 145
Linospadix, 196, 200, 201
Lipochaeta, 161
Lisboa, Regina Célia Lobato, 319
Litsea, 145
Lolium arundinaceum, 157; *multiflorum*, 157, 161; *perenne*, 157, 161
Lucya, 45, 46
Lugoa, 161
Macaraea, 161
Mackeea, 65
Maguire, Bassett, 274
Malpighiaceae, 217, 221
Manettia alba, 49; *lygistum*, 44, 49
Mapania, 124
Marina, 72, 74; sect. *Carroa*, 72; sect. *Marina*, 72; sect. *Marina* ser. *Chrysorrhizae*, 72, 76; **brevis, 74**–76; *capensis*, 76; *catalinae*, 77; *chrysorrhiza*, 76; *divaricata*, 77; *evanescens*, 76; *interstes*, 76; *maritima*, 77; *oculta*, 77; *parryi*, 74–76; *peninsularis*, 76; *vetula*, 75, 76; **victoriae, 72**–74, 76
Marlierea, 97
Marojejya, 62, 84, 89; *darianii*, 81, 84, 86, 89
Martiodendron, 327; *excelsum*, 329; **fluminense, 327**–330; *mediterraneum*, 327, 329
Masafuera Island, see Robinson Crusoe Islands
Masatierra Island, see Robinson Crusoe Islands
Masoala, 80, 82, 84, 89; *madagascariensis*, 81, 86, 89
Megalachne, 159, 160; *berteroana*, 156–158; *masafuerana*, 157, 158
Metcalfia, 158
Mexico, 6, 72–74, 107, 116, 145, 146, 148, 150, 164, 181, 182, 190
Microdracoides, 120
Microcycas, 1, 4, 5; *calocoma*, 4
Mitracarpus, 42; *frigidus*, 44, 49
Mocinnodaphne, 145
Morella, 323–325; key to species in South America, 323, subgen. *Cerothamnus* ser. *Cerothamnus*, 323; 324; *chevalierii*, 325, 326; **funckii, 324 (comb. nov. & lectotypification)**; *parvifolia*, 324; **pavonis, 324,** 325; *pubescens*, 323–325; **rotundata,** 323, **325**; *rubra*, 323; **singularis,** 324, **325**
Myrcia, 97
Myrica, 322, 323; subgen. *Morella*, 322, 323; subgen. *Myrica*, 322, 323; *arguta*, 323, 325; *arguta* var. *peruviana*, 325; *arguta* var. *tinctoria*, 325; *asplenifolia*, 322; *caracasana*, 323, 325; *cerifera*, 323, 325; *costata*, 325; *funckii*, 324; *gale*, 322; *hartwegii*, 322; *interrupta*, 325; *macrocarpa*, 325; *parvifolia*, 324; **parvifolia var. longipedunculata, 324 (lectotypification)**; **parvifolia var. lucens, 324 (lectotypification) parvifolia var. macrostachya, 324 (lectotypification)**; *parvifolia* var. *major*, 324; *parvifolia* var. *obtusa*, 324; **pavonis, 324 (lectotypification)**; **pavonis var. glandulosa, 324 (lectotypification)**; *polycarpa*, 323, 325; *pubescens*, 325; *pubescens* var. *caracasana*, 325; *pubescens* var. *glabra*, 326; *pubescens* var. *glandulosa*, 325; *pubescens* var. *interrupta*, 325; *pubescens* var. *tomentosa*, 326; *rotundata*, 325; *singularis*, 325
Myricaceae, 322–326
Myristica, 251
Myristicaceae, 251
Myrtaceae, 94
Napeanthus, 358; key to species in Guianas and Trinidad & Tobago, 361; **angustifolius, 358**–361; *jelskii*, 360, 361; *macrostoma*, 361; **rupicola,** 359, **360,** 361; *subacaulis*, 361
Nassella laevissima, 157; *neesiana*, 157
Nautiocalyx, 348, 350; **coccineus, 352**–354; *maguirei*, 354
Nectandra, 145; *rubriflora*, 152
Neonotis, 40, 45, 46
Neoveitchia, 70
Nephorsperma, 79, 80, 82–84, 88–90; *vanhoutteanum*, 81, 86, 89
Nesohedyotis arborea, 44, 49
Normanbya, 70, 82, 84, 90; *normanbyi*, 81, 84, 86, 89
Ocotea, 145; *contrerasii*, 152; **disjuncta, 146**–148; *effusa*, 146, 148; *hedyeana*, 150; *helicterifolia, 152;* **iridescens, 148**–150; *klotzschiana*, 150; *laetevirens*, 152; *meziana*, 152; **rovirosae, 150**–153; *rubriflora, 152*
Oldenlandia, 40, 41, 45; *affinis*, 44, 49; *corymbosa*, 43, 44, 49; *lanceifolia*, 44–49; *nervosa*, 44, 40
Oncosperma, 70, 78, 80, 82, 83, 88, 90; *fasciculatum*, 81, 83, 86, 89; *gracilipes*, 81, 82, 84, 86, 88, 89; *horridum*, 81, 82, 86, 88, 89; *platyphyllum*, 80; *tigillarium*, 81, 86, 89
Orania, 82, 84, 87, 89; *lauterbachiana*, 81, 86, 89
Orchidaceae, 99
Orobanchaceae, 6
Pachylobus, 266
Pagamea, 42; *guianensis*, 44, 49
Palmae (see also, Arecaceae), 202
Panama, 34
Pantathera avenacea, 156; *fernandeziana*, 156
Paradrymonia, 348, 356; **anisophylla, 354**–356, 358; **barbata, 356**–358; *campostyla*, 356, 358; *ciliosa*, 356; *maculata*, 358; *pedunculata*, 348
Paspalum dasypleurum, 157; *distichum*, 157, 161
Passiflora, of the Guianas, 18–29, key, 28; subgenus *Astrophea*, 18–20; subgenus *Passiflora*, 26, 54; subgenus *Astrophea* sect. *Botrtyastrophea*, 19; subgenus *Astrophea* **ser. Carnea, 19,** 26, 28; subgenus *Passiflora* "ser. Lobatae," 55; *amoena*, 19, 26–28; **ascidia,** 19, **20,** 21, 26, 28; **balbis,** 19, **20,** 22, 26, 28; *candida*, 28; *cardonae*, 28; *ceratocarpa*, 28; *citrifolia*, 28; **cordistipula, 54**–56; *costata*, 28; *fuchsiiflora*, 19, 21, 26, 28; *kawensis*, 29; *leptopoda*, 28;

longiracemosa, 19–21, 24, 26, 28; *maguirei,* 28; *nuritensis,* 19; *ovata,* 29; *picturata,* 54, 55; *plumosa,* 28; *quelchii,* 28; *saccoi,* 55; **saulensis,** 19, **24**–26; *scleroxyla,* 28; *securiculata,* 28; *spicata,* 19
Pentodon pentandrus, 44, 49
Pereira, Oberdan José, 232
Persea, 145
Peru, 218, 280, 285
Phalaris amethystina, 157; *angusta,* 157
Phoenicophorium, 79, 80, 83, 84, 86, 88–90; *bordigianum,* 81, 84, 86, 89
Physokentia, 70
Pictolejeunea, 318; subgen. **Neopictolejeunea, 320;** subgen. *Pictolejeunea,* 320; *mizutanii,* 318, 320; *picta,* 318; **reginae, 318**–321; *sprucei,* 318, 220
Piptochaetium bicolor, 157
Pitcairnia bella, 281; **chocoensis, 281,** 282; **filifera,** 284, **285**; *rigida,* 285
Plinia, 94; **complanta, 94**–97; **pauciflora,** 96, **97**; *rivularis,* 97
Poa annua, 157, 161; *pratensis,* 157, 161
Poaceae, 145–163; subfam. Arundinoideae, 160, 161; subfam. Bambusoideae, 160, 161; subfam. Chloridoideae, 160, 161; subfam. Panicoideae, 160; subfam. Pooideae, 160; subfam. Pooideae tribe Stipeae subtribe Duthieinae, 158
Podophorus, 158, 160; *bromoides,* 157, 159
Polypogon australis, 157
Prestonia woodsoniana, 316
Prévost, Marie-Françoise, 140
Psacadocalymma, 286
Pseudodacryodes, 267; *leonardii,* 267
Pteridaceae, 57
Ptychosperma, 70, 82, 84, 90; *salomonense,* 81, 84, 86, 89
Reasia, 343, 344
Reinhardtia, 82, 87, 89; *gracilis,* 81, 86, 89
Remya, 161
Rhoogeton, 345, 347, 348, 350
Rhopaloblaste, 80, 84; *augusta,* 81, 84, 86, 87
Rhopalostylis, 65, 66, 70; *baueri,* 67; *sapida,* 67, 68
Rhynchospora, 342; sect. *Longistyles,* 340, 342, 343; *careyana,* 342; *corniculata,* 342, 343; *corniculata* var. *macrostachya,* 340; *inundata,* 342; *macrostachya,* 340, 342, 343; **pseudomacrostachya, 340**–343; *rostrata,* 342, 343
Rhytiglossa, 286
Richardia, 42; *scabra*m 44, 49
Robinson Crusoe (Juan Fernández) Islands, 154–163
Robinsonia, 161
Rosaceae, 168
Roscheria, 79, 80, 83, 84, 88–90; *melanochaetes,* 80, 81, 86, 89
Rubiaceae, 40, 41; Hedyotideae, 41, 43; Spermacoceae, 42
Rumphius, 305
Santa Clara Island, see Robinson Crusoe Islands
Santiria, 268
Sapindaceae, 112; tribe Doratoxyleae, 112
Satakentia, 82, 90; *liukiuensis,* 81, 86, 89
Scalesia, 161
Schizogyne, 161
Scirpodendron, 124
Scropulariaceae, 6
Sericographis, 286
Serjania sect. *Platycoccus,* 112
Setaria parviflora 157, 161; *viridis,* 157, 161
Sinningia, 350
Solea alba, 93; *nana,* 93
Spermacoceae, 42
Spiraea, karyotypes, 168–174; *japonica* complex, 168–174; *japonica* var. *acuminata,* 168–174; *japonica* var. *acuta,* 168–174; *japonica* var. *fortunei,* 168–174; *japonica* var. *glabra,* 168–172, 174; *japonica* var. *incisa* 168–174; *japonica* var. *insica,* 168; *japonica* var. *japonica,* 168–173; *japonica* var. *ovalifolia,* 168–173; *japonica* var. *pinnatifida,* 168, 169; *japonica* var. *stellaris,* 168–174
Stangeria, 1, 4, 5; chromosomes, 1–5; *eriopus,* 1–5
Stangeriaceae, 1
Stangerioideae, 1
Stigmaphyllon, 225; *jatrophifolium,* 225; *macedoanum,* 225
Suriname, 296
Sventenia, 161
Taeckholmia, 161
Tagetes, 164; *moorei,* 164, 166; **moorei var. brevilligulata, 165**–167; *moorei* var. *moorei,* 166, 167; *parryi,* 166, 167; *triradiata,* 166, 167
Talisia subgenus *Cotopais,* 112; subgenus *Pitombaria,* 112
Tectiphiala, 79, 80, 82–84, 86–88, 90; *ferox,* 81, 83, 86, 89
Teinosolen, 40
Tetracera, 275; key to species in the Guianas, 277; *asperula,* 275, 277; *costata* subsp. *costata,* 277; **maguirei, 275**–277; *surinamensis,* 277; *tigarea,* 277; *volubilis* subsp. *volubilis,* 277; *willdenowiana* subsp. *willdenowiana,* 277
Thailand, 298, 299, 301
Thelypteridaceae, 331
Thelypteris, 331; subgen. *Amauropelta,* 331; subgen. *Cyclosorus,* 331; subgen. *Goniopteris,* 331, 336, 337; subgen. *Meniscium,* 331; subgen. *Steiropteris,* 331; *abbiattii,* 332; *biolleyi,* 338; *cuneata,* 334, 337, 338; **cutiataensis, 331,** 332; **iguapensis, 332**; *jamesonii,* 339; **littoralis, 332**–334; *lugubris,* 334, 336, 337, 339; **monosora, 334,** 338; **montana, 334**–336; **multigemmifera, 336,** 337; **paranaensis,** 334, **337**–338; *riograndensis,* 332; *scabra,* 332–334, 336, 337; **schackeana, 338,** 339; *semirii,* 332, 334; *vivipara,* 332
Trilepis, 120, 122, 123; *alcatrazensis,* 122, 123; *ciliatifolia,* 122; *kanukuensis,* 122; *lhotzkiana,* 122; *microstachya,* 122; **tenuis, 120**–123
Trisetum caudulatum, 157
Tylopilus, 262; sect. *Oxydabiles,* 264; **alkalixanthus, 262**–265
Vantanea, 235; **ovicarpa, 233**–235; *paraensis,* 233, 235; *parviflora,* 233, 235
Veillonia, 70
Veitchia, 70
Venezuela, 318
Verbesina, 181; sect. *Platypteris,* 181, 182, 187; **barrancae, 182**–188; *crocata,* 181–183, 186, 188; *fastigiata, 187; fraseri,* 187; *furfuracea,* 187; *klattii,*

187; *lottiana*, 181, 187, 188; *montanoifolia*, 187; *ovatifolia*, 187; *paneroi*, 187; *platyptera*, 187; *tecolotlana*, 187; *vallartana*, 181, 187, 188
Verschaffeltia, 79, 80, 83, 84, 88–90; *splendida*, 81, 86, 89
Vieraea, 161
Violaceae, 92
Virola, 252, *Rugulosae*, 252; *atopa*, 251, 253; *rugulosa*, 252
Vitaceae, 175
Vochysiaceae, 13
Volcano Island, see Bonin & Volcano Islands
Vriesea simulans, 281
Vulpia bromoides, 157, 161; *myuros* var. *hirsuta*, 157, 161; *myuros* var. *myuros*, 157, 161
Werauhia morales, 281
Wilkesia, 161
Xenocryptus (beetles, Languriidae, Xenoscelini), 303
Yunquea, 161
Zamia, 1

United States Postal Service

Statement of Ownership, Management, and Circulation

1. Publication Title	2. Publication Number	3. Filing Date
Brittonia	0 0 0 7 – 1 9 6 X	FEB 2 0 2003
4. Issue Frequency	5. Number of Issues Published Annually	6. Annual Subscription Price
Quarterly	4	$60.00

7. Complete Mailing Address of Known Office of Publication (Not printer) (Street, city, county, state, and ZIP+4)
The New York Botanical Garden Press
200th St & Kazimiroff Blvd
Bronx, NY 10458-5126
Contact Person: Sandi Frank
Telephone: 718-817-8957

8. Complete Mailing Address of Headquarters or General Business Office of Publisher (Not printer)
The New York Botanical Garden Press
200th St & Kazimiroff Blvd
Bronx, NY 10458-5126

9. Full Names and Complete Mailing Addresses of Publisher, Editor, and Managing Editor (Do not leave blank)

Publisher (Name and complete mailing address)
The New York Botanical Garden
Bronx, NY 10458-5126

Editor (Name and complete mailing address)
Dr. Tom Zanoni
The New York Botanical Garden
Bronx, NY 10458-5126

Managing Editor (Name and complete mailing address)
Dr. Tom Zanoni
The New York Botanical Garden
Bronx, NY 10458-5126

10. Owner (Do not leave blank. If the publication is owned by a corporation, give the name and address of the corporation immediately followed by the names and addresses of all stockholders owning or holding 1 percent or more of the total amount of stock. If not owned by a corporation, give the names and addresses of the individual owners. If owned by a partnership or other unincorporated firm, give its name and address as well as those of each individual owner. If the publication is published by a nonprofit organization, give its name and address.)

Full Name	Complete Mailing Address
The New York Botanical Garden	Bronx, NY 10458-5126

11. Known Bondholders, Mortgagees, and Other Security Holders Owning or Holding 1 Percent or More of Total Amount of Bonds, Mortgages, or Other Securities. If none, check box → X None

Full Name	Complete Mailing Address

12. Tax Status (For completion by nonprofit organizations authorized to mail at nonprofit rates) (Check one)
The purpose, function, and nonprofit status of this organization and the exempt status for federal income tax purposes:
X Has Not Changed During Preceding 12 Months
☐ Has Changed During Preceding 12 Months (Publisher must submit explanation of change with this statement)

PS Form 3526, October 1999 (See Instructions on Reverse)

13. Publication Title: Brittonia	14. Issue Date for Circulation Data Below: 54(2) 25-JUL-02	
15. Extent and Nature of Circulation	Average No. Copies Each Issue During Preceding 12 Months	No. Copies of Single Issue Published Nearest to Filing Date
a. Total Number of Copies (Net press run)	763	700
b. Paid and/or Requested Circulation (1) Paid/Requested Outside-County Mail Subscriptions Stated on Form 3541. (Include advertiser's proof and exchange copies)	0	0
(2) Paid In-County Subscriptions Stated on Form 3541 (Include advertiser's proof and exchange copies)	553	536
(3) Sales Through Dealers and Carriers, Street Vendors, Counter Sales, and Other Non-USPS Paid Distribution	0	0
(4) Other Classes Mailed Through the USPS	0	0
c. Total Paid and/or Requested Circulation (Sum of 15b. (1), (2),(3),and (4))	553	536
d. Free Distribution by Mail (Samples, complimentary, and other free) (1) Outside-County as Stated on Form 3541	0	0
(2) In-County as Stated on Form 3541	0	0
(3) Other Classes Mailed Through the USPS	3	3
e. Free Distribution Outside the Mail (Carriers or other means)	0	0
f. Total Free Distribution (Sum of 15d. and 15e.)	3	3
g. Total Distribution (Sum of 15c. and 15f)	556	539
h. Copies not Distributed	207	161
i. Total (Sum of 15g. and h.)	763	700
j. Percent Paid and/or Requested Circulation (15c. divided by 15g. times 100)	99%	99%

16. Publication of Statement of Ownership
☐ Publication required. Will be printed in the 54(4) 12/02 issue of this publication. ☐ Publication not required.

17. Signature and Title of Editor, Publisher, Business Manager, or Owner: Director - NYBG Press — Date: FEB 2 0 2003

I certify that all information furnished on this form is true and complete. I understand that anyone who furnishes false or misleading information on this form or who omits material or information requested on the form may be subject to criminal sanctions (including fines and imprisonment) and/or civil sanctions (including civil penalties).

Instructions to Publishers

1. Complete and file one copy of this form with your postmaster annually on or before October 1. Keep a copy of the completed form for your records.
2. In cases where the stockholder or security holder is a trustee, include in items 10 and 11 the name of the person or corporation for whom the trustee is acting. Also include the names and addresses of individuals who are stockholders who own or hold 1 percent or more of the total amount of bonds, mortgages, or other securities of the publishing corporation. In item 11, if none, check the box. Use blank sheets if more space is required.
3. Be sure to furnish all circulation information called for in item 15. Free circulation must be shown in items 15d, e, and f.
4. Item 15h., Copies not Distributed, must include (1) newsstand copies originally stated on Form 3541, and returned to the publisher, (2) estimated returns from news agents, and (3), copies for office use, leftovers, spoiled, and all other copies not distributed.
5. If the publication had Periodicals authorization as a general or requester publication, this Statement of Ownership, Management, and Circulation must be published; it must be printed in any issue in October or, if the publication is not published during October, the first issue printed after October.
6. In item 16, indicate the date of the issue in which this Statement of Ownership will be published.
7. Item 17 must be signed.

Failure to file or publish a statement of ownership may lead to suspension of Periodicals authorization.

PS Form 3526, October 1999 (Reverse)